



NORTH WHITEHALL TOWNSHIP

3256 LEVANS ROAD, COPLAY, PA 18037
610-799-3411 610-799-9629 FAX
www.northwhitehall.org

**DRIVEWAY
PERMIT
APPLICATION**

MAIL PICK-UP

NOTE: IN ACCORDANCE WITH NORTH WHITEHALL TOWNSHIP ZONING ORDINANCES, A PLOT PLAN MUST BE INCLUDED FOR A REPAVE. NEW CONSTRUCTION MUST INCLUDE A PLOT, GRADING, AND A EROSION AND SEDIMENTATION CONTROL PLAN. EACH PLAN IS SUBJECT TO ALL CONDITIONS, RESTRICTIONS AND REGULATIONS. Proof of, or waiver from, **Workman's Compensation Insurance must be provided at time of submission.**

A. DRIVEWAY PERMIT TYPE

REPAVE EXISTING DRIVEWAY DRIVEWAY FOR NEW CONSTRUCTION

Please note that some of the General Requirements listed below do not apply to a repave.

B. PROPOSED USE

DESCRIPTION OF PROPOSED WORK:

C. IDENTIFICATION

PROJECT LOCATION (ADDRESS): _____
OWNER: _____ ADDRESS: _____ PHONE #: _____
APPLICANT: _____ ADDRESS: _____ PHONE #: _____
CONTRACTOR: _____ ADDRESS: _____ PHONE #: _____

GENERAL REQUIREMENTS

- 1. A site plan must accompany this application showing the exact location of the existing/proposed driveway and showing length and width.
- 2. The driveway must consist of a R-3 size stone tire cleaner immediately after rough opening. This stone must be replaced immediately if mud is being pumped through the stone and if the stone tire cleaner becomes heavily contaminated with mud.
- 3. Mud cannot be tracked onto the road. It must be immediately broom swept and NOT WASHED OFF WITH WATER.
- 4. If a driveway crossover pipe is proposed, it must have a stone energy pad consisting of R-3 or R-4 stone size on each end of the pipe.
- 5. If a driveway swale is proposed, it must initially consist of R-3 size stone until the driveway is stabilized.
- 6. Constant crossing of the roadside swale outside of the driveway opening is STRICTLY PROHIBITED. You must use the driveway opening to access the property. If the roadside swale becomes damaged, it must be repaired and stabilized immediately by the applicant.
- 7. Driveway entrances shall be as close as perpendicular to a public street as is possible. Driveways must be at least 10 feet in width.
- 8. The maximum grade of the driveway shall not exceed 12 percent.
- 9. The driveway must be stabilized and free of mud prior to issuance of a use and occupancy permit for the dwelling.
- 10. The driveway will be constructed as shown on the plot plan submitted to the Township. If the driveway location is changed after this permit has been issued, this permit will immediately become null and void and the applicant will be required to pay additional permit fees associated with the application for another Road/Driveway Occupancy Permit.
- 11. Driveway setback from residential lot lines. The following minimum setbacks shall apply for a driveway from the abutting lot line of and existing or approved residential lot. Note: please check the one that applies to this application.
 - 0 feet if buildings are attached along the subject lot line of an existing or approved residential lot.
 - 3 feet on any other lot with an area of less than 20,000 square feet.
 - 5 feet on a lot not meeting any of the notes above.
 - If any side yard easement exists, the driveway must be placed outside this easement.

Driveway sight distance must be accomplished as determined by the Township Engineer.

PROPERTY OWNER'S SIGNATURE

APPLICANT'S SIGNATURE

DATE

APPLICATION FEE IS NON-REFUNDABLE

FOR OFFICE USE ONLY Zoning Review Approved by: _____ (Zoning Officer) _____ (Date)
ZONING DISTRICT: _____
DATE APPLICATION RECEIVED: _____ DRIVEWAY PERMIT # _____
APPLICATION FEE: \$ _____
TOWNSHIP TOTAL: \$ _____ CASH / CHECK # _____